WEST Search History

Hide Items Restore Clear Cancel

DATE: Thursday, August 26, 2004

Hide?	Set Name	Query	Hit Count
	DB=PGPB	, USPT, USOC, EPAB, JPAB, DWPI; PLUR=YI	ES; $OP = OR$
	L4	L3 and lupus	16
	L3	L2 same solubl\$	25
	L2	(lymphotoxin adj beta) adj receptor	78
	L1	lupus same lymphotoxin	14

END OF SEARCH HISTORY

Previous Doc Next Doc Go to Doc# First Hit Fwd Refs

Generate Collection

L4: Entry 16 of 16

File: USPT

Jul 20, 1999

DOCUMENT-IDENTIFIER: US 5925351 A

TITLE: Soluble lymphotoxin-.beta. receptors and anti-lymphotoxin receptor and ligand antibodies as therapeutic agents for the treatment of immunological disease

Detailed Description Text (142):

Several systemic autoimmune diseases, including various arthritides, are Th1 cell-associated. Rheumatoid arthritis and Sjorgren's syndrome both appear to involve Th0 and Th1 cells. In contrast, systemic <u>lupus</u> erythematosus (SLE) appears to have an aberrant Th0/Th2 dominated response.

CLAIMS:

5. The method according to claim 1, wherein the lymphotoxin-.beta.-receptor comprises a soluble lymphotoxin-.beta. receptor comprising a functional sequence of amino acids selected from the amino acids of SEQ.ID.NO.1, and having a ligand binding domain that can bind to a surface LT ligand comprising at least one lymphotoxin-.beta. subunit.

Previous Doc Next Doc Go to Doc#

=>

(FILE 'HOME' ENTERED AT 17:16:10 ON 26 AUG 2004)

```
FILE 'MEDLINE, CANCERLIT, BIOSIS, CONFSCI, SCISEARCH, EMBASE, CAPLUS,
    USPATFULL, PCTFULL, DISSABS' ENTERED AT 17:16:44 ON 26 AUG 2004
         163886 S LUPUS (A) ERYTHEMATOSUS
L1
             19 S L1 (P) LYMPHOTOXIN (A) BETA (A) RECEPTOR?
L2
             19 DUP REM L2 (0 DUPLICATES REMOVED)
L3
             57 S L1 AND LYMPHOTOXIN (A) BETA (A) RECEPTOR?
L4
             54 DUP REM L4 (3 DUPLICATES REMOVED)
L5
           1193 S LYMPHOTOXIN (A) BETA (A) RECEPTOR?
L6
             50 S L6 (P) (AUTOIMMUNE (5A) DISEASE?)
L7
             44 DUP REM L7 (6 DUPLICATES REMOVED)
L8
```

---Logging off of STN---